

Ultra Wide Band mobile field anchor FA

World smallest UWB anchor

Factsheet

Key benefits for next generation smart building

- Fast installation time. Re-using existing mains power wallsocket/outlets
- Person and asset tracking using long range radar
- RGB LED Panel
- Infinite wireless scalable for large deployment. Worldwide allowed
- Operates outside congested wifi bands
- Qorvo UWB Radio, 3-7GHz, IEEE 802.15.4a
- Firmware upgrade over the air (AES security, unique ID)

Indoor and outdoor localisation < 10cm accuracy¹.
 Typical max outdoor range for AIRTLS UWB equipment is 280m at 6.8Mbps by using special electronics to increase sensitivity and selectivity of the radio transceiver. The ultrawideband radio guarantees a reliable connection as a data backhaul for bi-directional. UWB operates outside the WiFi bands using worldwide allowed 'unoccupied' frequencies.

FA01 anchor provides true smart sport tracking.

Providing data integration between heart rate sensors, tracking and 3D performance visualisation.

- Tracking of sportsball.
- Measuring performance like sprint, shooting consistency
- Motion analysis for injury prevention
- Long battery life, automatic on/off switching



AIRTLS FA01

- Automatic deployment
- Indoor and outdoor sports
- Self calibrating
- Low power, long battery life
- Microsecond level timing
- IP65, -15 to +70 °C
- Upright detection
- Automatic X Y positioning (mm)
- 3D html5 visualisation
- Infiniscale[®], wireless auto scaleable
- 10Ah Battery (80 hr without charge)

Humidity	0 to 100% relative humidity
Temperature	±0.5 °C, -15 to +70 °C
Radio	Bluetooth 2.4GHz
Radio	UWB 3-7GHz,

¹: Accuracy range from sub cm accurate in line of sight condition, factory calibrated. Range up to 300 meter